

AD-A192 386

ONR Grant #N00014-86-K-0270

### PRESSURE STUDIES OF PROTEIN DYNAMICS

Hans Frauenfelder and Robert D. Young

Department of Physics University of Illinois at Urbana-Champaign

Annual Report to Office of Naval Research



# 1. Summary of Research Goals and Methods

-30 . . .

The key goal of biophysical and biochemical research is a fundamental understanding of the relation among protein structure, motions, and function (1). We have developed a hierarchical model to describe protein conformations and motions (2,3). We study the binding of small ligands like carbon monoxide (CO) and dioxygen to myoglobin (Mb) and other heme proteins. Our main experimental tool is flash photolysis over wide ranges of time, temperature, and pressure as well as solvent viscosity and pH (4,5). Studies of ligand binding to myoglobin over wide ranges of pressure and temperature probe protein states and motions which are not accessible by varying only temperature or pressure. Although living systems function over wide ranges in pressure from high altitude to the ocean depths, pressure effects have been relatively unexplored in protein science because of their complexity and subtlety (6,7,8). We have

DISTRIBUTION STATEMENT A

Approved for public release; Distribution Unlimited 88 3 21

135

	21. ABSTRACT SECURITY CLASSIFICATION	
■ UNCLASSIFIED/UNLIMITED □ SAME AS RPT. □ DTIC USERS	(U)	
22a NAME OF RESPONSIBLE INDIVIDUAL	22b TELEPHONE (Include Area Code)	22c OFFICE SYMBOL
Dr. M. Marron	(202) 696-4038	ONR

Kongaria 1

MbCO, for exploring the effects of pressure on proteins and protein reactions (9,10,11,12).

The concepts of conformational substates (13,14) and a slaved glass transition (10) in proteins are proving to be crucial in understanding the relation among protein structure, motions, and function. The concept of conformational substates implies that the ground state of a protein is highly degenerate and consists of many nearly isoenergetic minima in the conformational energy surface. A similar situation exists for spin glasses and other complex systems (15). The slaved glass transition (SGT) in myoglobin is similar to the "freezing" transition in a spin glass or glass (16,17). Our combined pressure and temperature experiments probe the glassy properties of proteins and, thus, connect two distant fields of research. This situation may lead to a more detailed understanding of both biomolecular relaxation and reactions and the physics of amorphous solids.

# 2. Summary of Accomplishments in Year Two

Significant progress has occurred during the second contract year. We have presented several papers on our results at meetings of the Biophysical Society (9,11,12). The work reported here has also resulted in one doctoral dissertation (18). We are preparing these results for a detailed publication. We only outline the main results in this report.

CO can bind to Mb in at least three positions which can be distinguished by their infrared CO stretching bands (19). In MbCO



on For

RA&I

Ced

ition/

ility Ccde

ail and/or

Special

Ulst

the three main stretching bands, denoted by A<sub>0</sub>(~1966 cm<sup>-1</sup>), A<sub>1</sub>(~1945 cm<sup>-1</sup>), and A<sub>3</sub>(~1930 cm<sup>-1</sup>), are sensitive to external influences such as pH, solvent. composition, temperature, and, most importantly for this project, pressure (9,10,11,12,18). Observation of the infrared band is done with two systems: (i) quasi-static and slow kinetics experiments are performed on a Fourier transform infrared (FTIR) spectrometer (Mattson Sirius 100 FTIR); (ii) fast kinetics experiments are performed on a homebuilt, microsecond, midinfrared flash photolysis system using a tunable infrared-diode to produce the monitoring light. We have also measured the heat capacity of the protein samples in a differential scanning calorimeter (11).

Two related classes of experiments were performed on MbCO: quasi-static and relaxation. In the quasi-static experiments we measure the characteristics of the CO stretching bands as function of temperature, pressure, pH, and solvent composition. We call the situation quasi-static because the glass-like behavior of the protein below a characteristic glass temperature Tg makes attainment of true equilibrium impossible on any reasonable timescale. In the relaxation experiments we observe the relaxation of the protein by monitoring the CO stretching bands after a fast pressure release at a temperature near to the glass temperature.

(a) Quasi-static Experiments. We have measured the IR spectrum of MbCO from 1910 to 1990 cm<sup>-1</sup> in a 75% glycerol/water solvent (pH 7 with potassium phosphate buffer) from 140K to 340K in temperature and 0.1 MPa to 100 MPa in pressure. (1 MPa = 10

bar). The spectra are resolved into three bands denoted in order of decreasing wavenumber by A<sub>0</sub>, A<sub>1</sub>, and A<sub>3</sub> which correspond to conformational substates of tier 0 also denoted by A<sub>0</sub> to A<sub>3</sub>. The main results of the quasi-static experiments can be seen in Fig. 1 where we plot the temperature dependence of the ratio  $r_0 = A_0/A_1$  of the total areas of the two bands at two different pressures. The ratio r<sub>0</sub> shows six different regions denoted by i-vi starting at low temperature: (i) Glass region. The protein is in a glass-like, nonequilibrium state in which large scale motions are frozen, but motions of groups of atoms still occur. This situation is dramatically illustrated by the temperature independence of the ratio r<sub>0</sub> over a timescale of several hours. (ii) Slaved glass transition region. Depending on the observation time and temperature, large scale motions (relaxation) are observable or appear frozen. Region ii extends from about 170K to about 210K and is centered at about 185K in 75% glycerol/water solvent. We have found a strong dependence of the glass temperature on the composition of the external solvent in our FTIR measurements. This dependence has been confirmed by the heat capacity measurements with the DSC on several different solvents with and without MbCO. Thus region ii shows a very strong dependence on external solvent. (iii) Lower equilibrium region. Transitions among the substates A<sub>0</sub> to A<sub>3</sub> occur faster than the time of observation so that the ratio r<sub>i</sub> follows a van't Hoff relation. The temperature and pressure dependence of the ratios  $r_i = A_i/A_1$  allows the energies, entropies, and volumes of the substates A<sub>i</sub> to be determined. We find that A<sub>0</sub> is more tightly bound than  $A_1$  and  $A_3$  and that  $A_0$  has the smallest volume and

entropy. (iv) Lower transition region. This is also an equilibrium region in which the change in slope of  $r_0$  suggest a new transition. A possible explanation is the breaking of a few hydrogen bonds in the protein. (v) Upper equilibrium region. The region again follows a simple van't Hoff relation but the change in slope indicates that a new substate  $A'_0$  is dominant which is less tightly bound than  $A_0$  and which has a larger entropy and volume than substate  $A_1$ . This second substate  $A'_0$  may indicate an intermediate protein state to unfolding. (vi) Unfolding. The protein begins to unfold irreversibly.

Figure 2 shows the heat capacity of MbCO in 75% glycerol/water solvent as measured with a DSC. The rapid increase in the rate of heat absorption dH/dt centered at 186K is characteristic of a glass transition. No pronounced anomoly occurs until 390K (the helix-coil transition).

(b) Relaxation Experiments. In a typical pressure release experiment, a pressure of 100 MPa is applied at 240K and the sample is cooled to a temperature between 210K and 170K. The temperature is held for about 100s and the pressure is released in 10sa or less to a lower pressure (7 MPa). Infrared spectra in the CO stretching region are then taken at exponentially increasing times from 10s to 100ks.

Our main results are summarized as follows: Between 170K and 190K the width narrows and the peak frequency shifts toward the low pressure values in the case of the  $A_0$  absorption band while the total area of  $A_0$  remains the same, indicating internal redistribution

in the A<sub>0</sub> substate. This internal redistribution corresponds to transitions within tier 0 of the hierarchy of substates. Slow interconversion of A<sub>1</sub> and A<sub>3</sub> also occurs in this temperature range resulting in a concommitant change in the areas of these two bands. Fig. 3 shows the time behavior of the A bands after the fast pressure release at 180K.

Between 195K and 210K slow interconversion of  $A_0$  with  $A_1$  and  $A_3$  is observed while  $A_1$  and  $A_3$  exchange rapidly. The transitions between different A bands correspond to transitions within tier 1 of the hierarchy. Fig. 4 shows the time behavior of the A bands after the fast pressure release at 195K. Fig. 4a gives absolute absorption spectra and Fig. 4b shows the spectra normalized to IR band  $A_1$ . Fig. 4b indicates that  $A_1$  and  $A_3$  are in equilibrium at 195K.

These results show similarities to the dynamics of spin glasses and glasses: The observed relaxations are highly nonexponential in time indicating a distribution of relaxation rates. Each A substate can thus consist of many sub-substates. The relaxations "freeze out" within a narrow temperature interval of about 20K with the rates having a Vogel-Fulcher like temperature behavior in which the relaxation rates have a singularity at a temperature To significantly below the glass temperature Tg. An important difference between the glass transition in myoglobin and the glass transition in amorphous solids is the "slaving" of the transition to the composition of the external solvent in the case of proteins.

(c) Preliminary Pressure Titration Experiments. The concept of the pressure titration experiment (7,20,21) was described in the Annual Report for Year One to the Office of Naval Research. We have been conducting preliminary experiments using the microsecond, mid-infrared flash system to monitor the A<sub>1</sub> infrared band after photodissociation by a laser pulse. The goal of these experiments is to probe relaxation of the A<sub>1</sub> substate in tier 1 of the hierarchy. Freezing out of motions within tier 1 of the hierarchy of conformational substates is responsible for the nonexponential rebinding kinetics of MbCO at low temperature. In 75% glycerol/water solvent the motions in tier 1 freeze out below about 180K (13,14). Preliminary measurements are promising

### 3. Plans for the Third Contract Year - 1988

The second of th

Work on this contract is progressing well. We are in the process of improving the design of the pressure cell. One benefit from the improved design of the cell is a smaller thermal mass which will greatly improve the efficiency of the refrigeration system used in the pressure titration experiments. We are continuing to design and build the special equipment needed to do frequency domain studies of pressure effects. We are planning the following experiments during the third contract year.

(a) Frequency domain studies of pressure effects. The sensitivity of the CO stretching bands to pressure makes it possible to modulate the pressure with a piezoelectric crystal and to observe the corresponding pressure changes with a lock-in technique. In

principle we can extend our time (frequency) range by several orders of magnitude. We are building such a system and plan to apply it to studies of the slaved glass transition in myoglobin including observation of nonexponential relaxation at temperatures above the glass temperature  $T_{\rm g}$ .

- (b) Pressure titration studies of the CO stretching bands. We will continue the pressure titration studies on the A<sub>1</sub> band using the microsecond, mid-infrared flash photolysis system. The rather dramatic sensitivity of the intensity of the CO stretching bands makes these experiments much more feasible than in the past.
- (c) Waiting time dependence of relaxation. Relaxation studies of the magnetization in metallic spin glasses below the glass transition temperature have shown that the relaxation of the magnetization depends on the waiting time before the external field is decreased to zero. These waiting time effects have been attributed to the underlying hierarchical free energy surface (22,23) but are not fully understood. In our pressure release experiments typically the waiting times were kept at about 100s before pressure was released. We will vary the waiting time from a few seconds to about 10ks in order to determine any waiting time effects on the relaxation of the A bands.
- (d) Pressure studies on mutant myoglobins. Steve Sligar of the University of Illinois has recently succeeded in producing sperm whale myoglobin using genetic engineering (24). We have performed exploratory measurements on several mutant myoglobins

in which the distal histidine has been replaced by a different amino acid residue. We intend to extend our measurement of the infrared CO stretching bands to include the effects of pressure on the mutant myhoglobins.

(e) Ligand binding studies. Studies of the slaved glass transition and relaxation of the CO stretching bands after pressure release have proven to be unexpectedly rewarding but time-consuming. We have therefore delayed studies of the pressure dependence of ligand rebinding after flash photolysis but plan to return to them.

### References

KARANA SANSK OBSKRED KRASSKY SE BOZZOŻO KRAS


[Note: The references indicated by an asterisk(\*) were supported in part by this contract and were published during Year Two.]


- Structure, Dynamics, and Function of Biomolecules, Ed.
   Ehrenberg, R., Rigler, R., Graslund, A., and Nilsson, L., Springer-Verlag, (1987).
- 2. Frauenfelder, H. in <u>Structure and Motion: Membranes, Nucleic Acids and Proteins</u>, Eds. Clementi, E., Corongiu, G., Sarma, M. H., and Sarma, R. H., Adenine Press, new York, p. 205, (1985).
- 3. Ansari, A. et al, Proc. Natl. Acad. Sci. USA <u>82</u>, 5000 (1985).
- 4. Beece, D. et al, Biochemistry 19, 5147 (1980).
- 5. Doster, W. et al, Biochemistry 21, 4831 (1982).
- 6. Hasinoff, B., Biochemistry, 13, 3111 (1974).
- 7. Eisenstein, L. and Frauenfelder, H., in <u>Frontiers of Biological</u>
  <u>Energetics</u>, Vol. 1, 680, Academic Press (1978).
- 8. Weber, G. and Drickamer, H., Q. Rev. Biophys. <u>16</u>, 89 (1983).
- 9. Ansari, A., Biophys. J. <u>51</u>, 289a (1987).
- \*10. Ansari, A. et al, Biophys. Chem. <u>26</u>, 337 (1987).
- \*11. Iben, I. E. T. et al, Biophys. J. <u>53</u>, 275a (1988).
- \*12. Iben, I. E. T. et al, Biophys. J. <u>53</u>, 275a (1988).


- 13. Austin, R. H. et al, Biochemistry 14, 5355 (1975).
- 14. Frauenfelder, H., Parak, F. and Young, R. D., Ann. Rev. Biophys. Biophys. Chem. 17, 451 (1988).
- 15. Stein, D., Proc. Natl. Acad. Sci. USA <u>82</u>, 0. 3670 (1985).
- 16. Binder, K. and Young, A. P., Rev. Mod. Phys. <u>58</u>, 801 (1986).
- 17. Jaeckle, J., Rep. Prog. Phys. <u>49</u>, 171 (1986).
- \*18. Iben, I. E. T., Ph.D. Dissertation, University of Illinois at Urbana-Champaign (1988).
- 19. Ormos, P. et al, Biophys. J. <u>53</u>, 274a (1988).
- 20. Frauenfelder, H. and Young, R. D., Comments Mol. Cell. Biophys. 3, 347 (1986).
- 21. Young, R. D. in <u>The Time Domain in Surface and Structural Dynamics</u>, Eds. Grandjean, F. and Lang, G., Reidel Press, Dordrecht, p. 107 (1988).
- 22. Hoogerbeets, R., Luo, W.-L., Orhbach, R., Phys. Rev. <u>B34</u>, 1719 (1986).
- 23. Springer, B. and Sligar, S. G., Proc. Natl. Acad. Sci. USA <u>84</u>, 8961 (1987).


## Figure Captions

- (a) Logarithm of the ratio of areas for substates A<sub>0</sub> and A<sub>1</sub> versus inverse Kelvin temperature (1000/T) for three pressures: 7 MPa, 50 MPa, and 100 MPa. Solvent: 75% glycerol/water buffered to pH 7. (b) Definitions of temperature regions at 7 MPa: (i) Glass region, (ii) Glass transition region, (iii) Lower equilibrium region, iv) Upper transition region, (v) Upper equilibrium region, (vi) Denaturation region.
- Thermal response of MbCO (75% glycerol/water buffered to pH 7 with potassium phosphate) using differential scanning calorimetry. Rate of heat absorption versus temperature (Celsius).
- Time evolution of the infrared absorption spectra corresponding to the CO stretching bands in MbCO at 180K after a fast pressure release from 100 MPa to 7 MPa. Time range: 10s to 3.8ks (75% glycerol/water buffered to pH 7 by potassium phosphate).
- Time evolution of the infrared absorption spectra corresponding to the CO stretching bands in MbCO at 195K after a fast pressure release from 100 MPa to 7 MPa. Time range: 23s to 2.4ks (75% glycerol/water buffered to pH 7 by potassium phosphate).
  - a) Absolute spectra, b) Spectra normalized to A<sub>1</sub>.









ander de la description de la constant de la consta

Dr. Margo G. Haygood Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Adminstrator (2 copies, Enclose DTIC Form 50) Defense Technical Information Center Building 5, Cameron Station Alexandria, VA 22314 Dr. M. Marron Code 1141MB Office of Naval Research 800 North Quincy Street Arlington VA 22217-5000

### ANNUAL AND FINAL REPORTS ONLY (One copy each)

Commander
Chemical and Biological Sciences Division
Army Research Office
P. O. Box 12211
Research Triangle Park, NC 27709

Directorate of Life Sciences Air Force Office of Scientific Research Bolling Air Force Base Washington, DC 20332

Chemistry and Atmospheric Sciences Directorate Air Force Office of Scientific Research Bolling Air Force Base Washington, DC 20332

Director Biotechnology Division CRDEC Aberdeen Proving Grounds, MD 21010-5423

Administrative Contracting Officer
ONR Resident Representative
(Address varies - obtain from your business office)

Director, Code 12 Applied Research and Technology Directorate Office of Maval Research 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 22 Support Technology Directorate Office of Naval Technology 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 112 Environmental Sciences Directorate Office of Naval Research 800 North Quincy Street Arlington, VA 22217-5000

Director, Code 113 Chemistry Division Office of Maval Research 800 North Quincy Street Arlington, VA 22217-5000

FINAL AND TECHNICAL REPORTS ONLY
Director (6 copies)
Naval Research Laboratory
Attn: Technical Information Division, Code 2627
Washington, DC 20375

AMZEL, L. Mario Department of Biophysics Johns Hopkins School of Medicine Arizona State University 725 North Wolfe Street Baltimore, MD 21205

BEVERIDGE, David L Department of Chemistry Wesleyan University Hall-Altwater Laboratories Middletown, CT 06457

FICHT, Allison R. Department of Medical Biochemistry & Genetics Texas A&M University College Station, TX 77843

FRAUENFELDER, Hans Department of Physics University of Illinois Urbana, IL 61801

GABER, Bruce P. Code 6190 Bio/Molecular Engineering Branch Massachusetts General Hospital Naval Research Laboratory Washington, DC 20375

HONIG, Barry Columbia University Dept of Biochemistry and Molecular Biophysics 630 West 168th St. New York, NY 10032

LAURSEN, Richard Chemistry Department Doston University 590 Commonwealth Avenue Boston, MA 02215

LENZ, Robert W. Chemical Engineering Department University of Massachusetts Amherst, MA 01003

LEWIS, Randolf V. Biochemistry Department University of Wyoming University Station Box 3944 Laranie, WY 82071

LINDSAY, Stuart M. Department of Physics Temp, AZ 85278

McCONNELL, Harden M. Stanford University Department of Chemistry Stanford, CA 94305

MEYER, Edgard F. Texas A&M University Dept of Biochemistry and Biophysics, Box 3578 College Station, TX 77843

NAGUMO, Mark Bio/Molecular Engineering Branch WAITE, J. Herbert Code 6190 Naval Research Laboratory Washington, DC 20375-5000

NOVOTNY, Jiri Laboratory of Cellular and Molecular Research Boston, MA 02114

PABO, Carl O. Department of Biophysics Johns Hopkins University School of Medicine Baltimore, MD 21205

PRENDERGAST, Franklyn Mayo foundation 200 first st. SW Rochester, MN 55905

RICH, Alexander Department of Biology Massachusetts Institute of Technology Cambridge, MA 02139

RICHARDS, J. H. California Institute of Technology Division of Chemistry and Chemical Engineering Pasadena, CA 91125

SHULER, Michael School of Chemical Engineering Cornell University Ithaca, New York 14853

SINSKEY, Anthony J. Laboratory of Appl Microbiology Dept of Appl Biological Sciences MIT Cambridge, MA 02139

URRY, Dan W. Laboratory of Molec Biophysics University of Alabama P. O. Box 311 Birmingham, AL 35294

College of Marine Studies University of Deleware Lewes, DE 19958

WARSHEL, Arieh Department of Chemistry University of Southern California University Park Los Angeles, CA 90089-0482

WILLIAMS, Jon I. Allied Corporation Columbia Rd and Park Ave. Morristown, NJ 07960

CHANG, Eddie L. Bio/Molecular Engineering Code 6190 Naval Research Laboratory Washington, D.C. 20375-5000

CORDINGLEY, John S. Department of Molecular Biology University of Wyoming Box 3944 University Station Laramie, WY 82071

CASE, Steven T. Department of Biochemistry University of Mississippi Medical 2500 North State Street Jackson, MS 39216-4505

# END DATE FILMED DT/C 6-88